

ESKYDECK


EPS CONCRETE FORMING SYSTEMS

www.eskydeck.com.au


100 Panel Configurations

QUICK SPECS


Average STD Beam R Value 3.593
 Average DEEP Beam R Value 4.394
 Empty Form Weight 9.33 kg/sqM /w STD Beam
 Empty Form Weight 13.25 kg/sqM /w DEEP Beam
 Concrete Weight 353.19 kg/sqM /w STD Beam
 Concrete Weight 425.99 kg/sqM /w DEEP Beam
 STD Beam 39.48 M/cubicM Concrete
 DEEP Beam 22.97 M/cubicM Concrete
 10 sqM of Slab /cubicM Concrete @ 100mm Thick
 2.4M bearer spacing for props Mono Pour
 4M bearer spacing for props Beams Only Pour



100 PANEL
DIMENSIONS



100 PANEL /w
160 STD BEAM



100 PANEL /w
300 DEEP BEAM

© Copyright

This drawing and the information contained in this document are protected under copyright laws as well as possible patent or patent pending.

Any use of this information in whole or in part for anything not authorised by David Wester of Red Deer, Alberta, Canada is Forbidden and will be considered copyright or patent infringement.

ESKYDECK


EPS CONCRETE FORMING SYSTEMS

www.eskydeck.com.au


140 Panel Configurations

QUICK SPECS


Average STD Beam R Value 4.475
 Average DEEP Beam R Value 5.276
 Empty Form Weight 10.02 kg/sqM /w STD Beam
 Empty Form Weight 13.94 kg/sqM /w DEEP Beam
 Concrete Weight 373.99 kg/sqM /w STD Beam
 Concrete Weight 446.79 kg/sqM /w DEEP Beam
 STD Beam 32.76 M/cubicM Concrete
 DEEP Beam 20.52 M/cubicM Concrete
 10 sqM of Slab /cubicM Concrete @ 100mm Thick
 2.4M bearer spacing for props Mono Pour
 4M bearer spacing for props Beams Only Pour



140 PANEL
DIMENSIONS



140 PANEL /w
160 STD BEAM



140 PANEL /w
300 DEEP BEAM

© Copyright

This drawing and the information contained in this document are protected under copyright laws as well as possible patent or patent pending.

Any use of this information in whole or in part for anything not authorised by David Wester of Red Deer, Alberta, Canada is Forbidden and will be considered copyright or patent infringement.

ESKYDECK


EPS CONCRETE FORMING SYSTEMS

www.eskydeck.com.au


190 Panel Configurations

QUICK SPECS


Average STD Beam R Value 5.577
 Average DEEP Beam R Value 6.378
 Empty Form Weight 10.82 kg/sqM /w STD Beam
 Empty Form Weight 14.79 kg/sqM /w DEEP Beam
 Concrete Weight 400.16 kg/sqM /w STD Beam
 Concrete Weight 475.70 kg/sqM /w DEEP Beam
 STD Beam 26.99 M/cubicM Concrete
 DEEP Beam 18.09 M/cubicM Concrete
 10 sqM of Slab /cubicM Concrete @ 100mm Thick
 2.4M bearer spacing for props Mono Pour
 4M bearer spacing for props Beams Only Pour



190 PANEL
DIMENSIONS



190 PANEL /w
160 STD BEAM



190 PANEL /w
300 DEEP BEAM

© Copyright

This drawing and the information contained in this document are protected under copyright laws as well as possible patent or patent pending.

Any use of this information in whole or in part for anything not authorised by David Wester of Red Deer, Alberta, Canada is Forbidden and will be considered copyright or patent infringement.

ESKYDECK


EPS CONCRETE FORMING SYSTEMS

www.eskydeck.com.au


240 Panel Configurations

QUICK SPECS


Average STD Beam R Value 6.540
 Average DEEP Beam R Value 7.342
 Empty Form Weight 11.75 kg/sqM /w STD Beam
 Empty Form Weight 15.66 kg/sqM /w DEEP Beam
 Concrete Weight 426.17 kg/sqM /w STD Beam
 Concrete Weight 498.95 kg/sqM /w DEEP Beam
 STD Beam 23.38 M/cubicM Concrete
 DEEP Beam 16.37 M/cubicM Concrete
 10 sqM of Slab /cubicM Concrete @ 100mm Thick
 2.4M bearer spacing for props Mono Pour
 4M bearer spacing for props Beams Only Pour



240 PANEL
DIMENSIONS



240 PANEL /w
160 STD BEAM



240 PANEL /w
300 DEEP BEAM

© Copyright

This drawing and the information contained in this document are protected under copyright laws as well as possible patent or patent pending.

Any use of this information in whole or in part for anything not authorised by David Wester of Red Deer, Alberta, Canada is Forbidden and will be considered copyright or patent infringement.